ThinkSmart Hub 500 for Zoom 10V50006XS

Product

ThinkSmart Hub 500 for Zoom

Region

EET

Country/Region

Slovakia

Machine Type

10V5

TopSeller

TopSeller

Processor

Intel Core i5-7500T (4C / 4T, 2.7 / 3.3GHz, 6MB)

Chipset

Intel Q270 Chipset

Graphics

Integrated Intel HD Graphics 630

Memory

2x 4GB DDR4-2400

Storage

128GB SSD M.2 2280 PCIe x4 NVMe

Display

11.6" FHD (1920x1080) WVA Anti-glare, Smudge Resistant

Microphone

2x, Array

Speaker

4Wx2

Ethernet

Integrated 100/1000M

Touchscreen

10-point Multi-touch

Color

Black

WLAN + Bluetooth

Intel 8265 11ac, 2x2 + BT4,2

Keyboard

None

Power Supply

90W Adapter

Mouse

None

Monitor Cable

None

System Management

Intel vPro

Operating System

Windows 10 IoT Enterprise, Slovak / English

Base Warranty

3-year, Onsite

Bundled Service

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26648)

EAN/UPC/JAN

0193638598640

End of Support

2025-08-31

Announce Date

2019-07-31

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.
© Lenovo, 2020. All rights reserved.



ThinkSmart Hub 500 for Zoom Platform Specifications

Positioning	Purpose-built Zoom Rooms device	Security chip	TPM (Trusted Platform Module) 2.0, TCG Certified
Processor	7th Gen Intel Core™ i5 Processor with vPro	Security features Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; South Security slot (in rear for attachment of Optional Kensington® MicroSaver® cable; Boot sequence control Kensington lock also locks chassis) Security features Security slot (in rear for attachment of Optional Kensington) Security features Security slot (in rear for attachment of Optional Kensington) Security features Se	
FIOCESSOI	Processor Cores / Threads Base/Max(GHz) Cache Memory Support Integrated Graphics		optional Kensington® MicroSaver® cable; Boot sequence control Boot without keyboard and mouse
	Core i5-7500T 4 / 4 2.7G / 3.3G 6 MB DDR4-2400 HD 630	Keyboard	None
Memory	4GBx2, DDR4-2400, two 260-pin SO-DIMM sockets, dual-channel capable	Mouse	None
Storage	128GB M.2 Solid State Drive (SSD) / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s	Mechanical	Business black color
Graphics Display	Intel HD Graphics 630 in processor, uses main memory, DirectX® 12 11.6" (294.64mm) Full HD 1080p (1920x1080) TFT color, wide viewing angle (+/-85°), LED backlight, 300 nits, 16:9 aspect ratio, 800:1 contrast ratio, anti-glare, smudge resistant Supports 10-point touch, OGS	Power supply	 (WxDxH) 7.60" X 10.98" X 7.02"; 193.25mm X 278.9mm X 178.45mm Approx. 5.51 lb (2.5 kg) Secure Cable Management Door, secures physical ports and prevents cables being accidentally disconnected 360 degree rotatable Display
Sensor	IR Presence/Motion sensor, automatically dim / brighten display		90 watts adapter, autosensing, 88% efficiency
LED indicators	(Detection angle: +/- 45% (from display); detection distance: 3 meters at minimum) 360 degree LED ring on hinge neck, indicates Skype status for all users in the room; power LED on power button		Some: 3-year, limited onsite service / service upgrades available Some: 3-year, limited onsite service with premier support / service upgrades available
Chipset	Intel Q270 Chipset	Preload	Preloaded operating system
Ports*	Four USB 3.1 Gen1(Type A), two HDMI-out, one HDMI-in (1920x1080@60Hz at maximum), one ethernet (RJ-45), one headphone / microphone combo jack (3.5mm), one power connector	V F Z	Windows® 10 IoT Enterprise SAC X64 (RS5) Preloaded applications Zoom Rooms Application
M.2 card slot	* Depending on many factors, actual data transfer speed may be lower than theoretical speed Two M.2 Card slots (one for WLAN, one for SSD)	Certification	Zoom Recommended Hardware
Audio support	Dual 5W speakers, 2 omnidirectional microphones for 360 degree audio capture	Environment	ErP Lot 26, GREENGUARD® certified, RoHS, WEEE
WLAN¹³ Bluetooth™	11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265,Wi-Fi + Bluetooth 4.1* combo adapter, Intel vPro technology support, 2x2 Bluetooth 4.1* wireless, integrated in Wi-Fi + Bluetooth combo adapter * Hardware supports Bluetooth 4.2, but Win10 RS3 only supports Bluetooth 4.1	Accessories	For compatible accessories, please go to http://smartfind.lenovo.com
Ethernet	Gigabit ethernet, Intel Ethernet Connection I219-LM (Jacksonville), Wake on LAN®		
Manageability	Intel Active Management Technology 11.0 (Intel AMT 11.0), Intel vPro technology		
			

See footnotes for more detailed information

Lenovo, December 2019











